Jetson M1

Fact sheet

MUTe.

Jetson M1

A one-person pod, ideal as a tranquil spot for solo, hands-on work. A cozy, soundproof oasis where you can focus and get things done.

Jetson is a family of universal acoustic pods designed to make everyone's work joyful and fruitful. It's truly people-focused: comfortable and customizable through add-on sets to meet your need and vision. Made of extruded aluminum, which makes it the lightest and most environmentally-friendly pod on the market. With its durable construction, no-hassle assembly, effective sound attenuation, and attractive price, Jetson will introduce the benefits of acoustic pods to all.

FUNCTION

Videocall or focused work

ACOUSTICS

Insulation

USAGE

Open space

Reception

Breakout area

Other public spaces

Dimensions, weight & features

Front view labels:
- 65 mm / 3 in.
- 370 mm / 15 in.
- 960 mm / 38 in.
- 1575

Right view labels:
- LEDs
- Supply vent
- 2264 mm / 88 in.
- 600 mm / 24 in.
- 735 mm / 29 in.
- Exhaust vent

Top view labels:
- Mediaport
- 860 mm / 34 in.
- 600 mm / 24 in.
- Left-handed door

Base view labels:
- Power cord outlet (bottom/top option)
- 1000 mm / 40 in.
- Input fans

DIMENSIONS [MM	IN.]	EXTERIOR / INTERIOR	
Width	1575 / 1435	62 / 56
Depth	1000 / 860	40 / 34
	+ 800	32 with an open door	
Height	2264 / 2102	88 / 83
Tabletop [w x d x h]	600 × 855 × 734	
	24 × 34 × 29	

WEIGHT [KG	LBS]			
Pod / with packaging	275 / 320		606 / 706
Tabletop / total load	6 / 20		13 / 44
Display rail	1,4		3

Technical data

ACOUSTIC RESULTS AND VENTILATION

Sound insulation	up to 44,7 dB
Reverberation time	0,2 s
Nominal airflow	365 m³/h
Fan noise outside / inside	≤36 dB / ≤38 dB

POWER SUPPLY AND CONSUMPTION

Working (fan, LEDs)	40 W
Power supply voltage	220-240 / 100-120 VAC, 50-60 Hz
Power sockets in a mediaport	2
USB fast charger in a mediaport	TUF A+C 30 W, 5 V DC
LAN port	Posiibility to route the LAN cable
Available socket types	FR / DE / UK / US / CH / AU / DK* / IT*

*The appearance of the media port may differ from that shown in the renderings. Parameters and features remain unchanged.

COMPOSITION

Aluminium structure and steel elements

Plywood and melamine faced chipboard

Isolating and absorbing materials

Tempered glass

Felt

STANDARD EQUIPMENT SET

Ventilation system

LED lighting

Occupancy sensor

Media port with 2 power and A+C USB sockets

Melamine tabletop

Shallow shelf with display rail, phone holder and magnet

2× wall hook

Power cord 3 m | 118 in.

CERTIFICATES AND TESTS

ISO 14001, ISO 9001

VOC and Formaldehyde tested

Speech reduction tested

Reaction to fire tested

ISO 9001   ISO 14001   0% Formaldehyde VOC tested   RoHS   CE   Shipped in flat cardboards to save carbon footprint

OPTIONAL EQUIPMENT

Monitor hanger	838 × 429 mm	33 × 17 in. Max load: 50 kg	110 lbs VESA standard 100/200/300

Add-on sets

Library set

Weight / with packaging   6,5 / 8 kg | 14 / 18 lbs

DEEP SHELF (3,5 KG / 8 LBS) × 1

838 mm / 33 in.

220 mm /8.7 in.

55 mm / 2.2 in.

Total load: 6 kg | 13.2 lbs

SHALLOW SHELF (1,5 KG / 3 LBS) × 1

838 mm / 33 in.

100 mm / 3.9 in.

55 mm / 2.2 in.

Total load: 3 kg | 6.6 lbs

DISPLAY RAIL (1,4 KG / 3 LBS) × 1

25 mm / 1 in.

838 mm / 33 in.

75 mm / 1 in.

Also included:

BOOKEND × 2   WALL HOOK × 1   DISPLAY STAND × 1   MAGNET × 2

Note set

Weight / with packaging   10 / 12 kg | 22 / 26 lbs

WHITEBOARD (9,5 KG / 21 LBS) × 1

838 mm / 33 in.

1037 mm / 41 in.

22 mm / 0.9 in.

34 mm / 1.3 in.

12 mm / 0.5 in.

Also included:

WALL HOOK × 1   MAGNET × 3   MARKER × 1   ERASER × 1

# Finishes overview

1 EXTERIOR WALLS AND FRAME

Moon White, PANTONE GREY 403051

Void Black, NCS S8500-N

2 INTERIOR WALLS AND CEILING

Light gray felt

3 TABLETOP AND SHELVES

Oak wood melamine, H1334 ST9

4 BOOKENDS AND MAGNETS

Matching walls color

5 FLOOR

Dark gray carpet